








































Imagen	Refer.	EXW euro	Características
	AP-1001	€ 504,00	50W, White, 3750Lm, Voltage:90-260VAC 50/60HZ Color temperature:5000-6000K, Beam angle:LED130° IP:65 Color Rendering Property:80Ra Lamp Size:780 X 400 X120mm ø 60mm hole
		€ 625,00	80W , White, 6000Lm, Voltage:90-260VAC 50/60HZ Color temperature:5000-6000K, Beam angle:LED130° ,IP:65 Color Rendering Property:80Ra Lamp Size:780 X 400 X120mm ø 60mm hole
		€ 713,00	100W, White, 7500Lm, Voltage:90-260VAC 50/60HZ Color temperature:5000-6000K, Beam angle:LED170° , IP:65 Color Rendering Property:80Ra Lamp Size:780 X 400 X120mm ø 60mm hole
		€ 806,00	120W, White, 9000Lm, Voltage:90-260VAC 50/60HZ Color temperature:5000-6000K, Beam angle:LED170° , IP:65 Color Rendering Property:80Ra Lamp Size:870X 470 X120mm ø 60mm hole
	AP-1005	€ 742,00	100W, White, 7500Lm, Voltage:90-260VAC 50/60HZ Color temperature:5000-6000K, Beam angle:LED170° , IP:65 Color Rendering Property:80Ra Lamp Size:1000X420X150mm ø 60mm hole
		€ 787,00	120W, White, 9000Lm, Voltage:90-260VAC 50/60HZ Color temperature:5000-6000K, Beam angle:LED170° , IP:65 Color Rendering Property:80Ra Lamp Size:1000X420X150 mm ø 60mm hole
	AP-1009	€ 426,00	30W , White, 2250Lm, Voltage:90-260VAC 50/60HZ Color temperature:5000-6000K, Beam angle:LED170° IP:65 Color Rendering Property:80Ra Lamp Size:870X300X120mm ø 60mm hole
		€ 473,00	50w,3750Lm,White, Voltage:90-260VAC 50/60HZ Color Temperature:5000-6000K Beam Angle:LED170°;IP:65 , Color Rendering Property:80Ra Lamp Size:870X300X120mm ø 60mm hole
		€ 587,00	70w,6000Lm,White, Voltage:90-260VAC 50/60HZ Color Temperature:5000-6000K Beam Angle:LED170°;IP:65 , Color Rendering Property:80Ra Lamp Size:870X300X120mm ø 60mm hole
	PRO-2005	€ 387,00	50W, 3750Lm, White, IP:65, Voltage:90-260VAC, 50/60HZ, Color Temperature:5000-6000K, Beam Angle:LED80° , Color Rendering Property:80Ra, Lamp Size:500x375x140mm
		€ 518,00	80W,6000Lm, White, IP:65 , Voltage:90-260VAC, 50/60HZ, Color Temperature:5000-6000K Beam Angle:LED170° Color Rendering Property:80Ra, Lamp Size:500x375x140mm
	PRO-2013	€ 123,00	9W, 675Lm, White , IP:65 , Voltage:90-260VAC 50/60HZ Color Temperature:5000-6000K Beam Angle:LED40° Color Rendering Property:80Ra Lamp Size:600x80x75mm
		€ 144,00	15W,1125Lm, White, IP:65 Voltage:90-260VAC 50/60HZ Color Temperature:5000-6000K Beam Angle:LED40° Color Rendering Property:80Ra Lamp Size:600x80x75mm

	PRO-2014	€ 177,00	15W, 1125Lm, White , IP:65 Voltage:90~260VAC 50/60HZ Color Temperature:5000-6000K Beam Angle:LED40° Color Rendering Property:80Ra Lamp Size:900x80x75mm
		€ 204,00	22W,1650Lm, White, IP:65 Voltage:90~260VAC 50/60HZ Color Temperature:5000-6000K Beam Angle:LED40° Color Rendering Property:80Ra Lamp Size:900x80x75mm
	PRO-2015	€ 219,00	20W, 1500Lm, White , IP:65 Voltage:90~260VAC 50/60HZ Color Temperature:5000-6000K Beam Angle:LED40° Color Rendering Property:80Ra Lamp Size:1200x80x75mm
		€ 256,00	30W,2250Lm, White, IP:65 Voltage:90~260VAC 50/60HZ Color Temperature:5000-6000K Beam Angle:LED40° Color Rendering Property:80Ra Lamp Size:1200x80x75mm
	PRO-2018	€ 729,00	120W, White, 9000Lm, Voltage:90~260VAC 50/60HZ Color temperature:5000-6000K, Beam angle:LED170°, IP:65 Color Rendering Property:80Ra Lamp Size: 680x480x160mm
		€ 820,00	150W , White, 11250Lm, Voltage:90~260VAC 50/60HZ Color temperature:5000-6000K, Beam angle:LED170°, IP:65 Color Rendering Property:80Ra Lamp Size: 680x480x160mm
	PRO-2019	€ 609,00	80W,6000Lm, White , IP:65 Voltage:90~260VAC 50/60HZ Color Temperature:5000-6000K Beam Angle:LED170° Color Rendering Property:80Ra Lamp Size:560x400x120mm
		€ 956,00	100W,7500Lm, White , IP:65 Voltage:90~260VAC 50/60HZ Color Temperature:5000-6000K Beam Angle:LED170° Color Rendering Property:80Ra Lamp Size:560x400x120mm
	PRO-2020	€ 926,00	120W,9000Lm, White , IP:65 Voltage:90~260VAC 50/60HZ Color Temperature:5000-6000K Beam Angle:LED170° Color Rendering Property:80Ra Lamp Size:600x535x220mm
		€ 998,00	150W,11250Lm, White , IP:65 Voltage:90~260VAC 50/60HZ Color Temperature:5000-6000K Beam Angle:LED170° Color Rendering Property:80Ra Lamp Size:600x535x220mm
		€ 1.118,00	180W,13500Lm, White , IP:65 Voltage:90~260VAC 50/60HZ Color Temperature:5000-6000K Beam Angle:LED170° Color Rendering Property:80Ra Lamp Size:600x535x220mm
	PL-2022	€ 656,00	100W,6500Lm, White , IP:44 Voltage:90~260VAC 50/60HZ Color Temperature:5000-6000K Beam Angle:LED130° Color Rendering Property:80Ra Lamp Size:588x588x250mm 24hour usage
		€ 728,00	120W,7800Lm, White , IP:44 Voltage:90~260VAC 50/60HZ Color Temperature:5000-6000K Beam Angle:LED130° Color Rendering Property:80Ra Lamp Size:588x588x250mm 24hour usage
	TU-2101	€ 625,00	80W, 6000Lm, White , IP:65 Voltage:90~260VAC 50/60HZ Color Temperature:5000-6000K Beam Angle:LED170° Color Rendering Property:80Ra Lamp Size:700x320x190mm 24hour usage
		€ 747,00	100W,7500Lm, White, IP:65 Voltage:90~260VAC 50/60HZ Color Temperature:5000-6000K Beam Angle:LED170° Color Rendering Property:80Ra Lamp Size:700x320x190mm 24hour usage
		€ 845,00	120W,9000Lm, White, IP:65 Voltage:90~260VAC 50/60HZ Color Temperature:5000-6000K Beam Angle:LED170° Color Rendering Property:80Ra Lamp Size:700x320x190mm 24hour usaoe

	PRO-3001	€ 210,00	20W, white, 1500Lm, IP:65 Voltage:90-260VAC, 50/60HZ Color Temperature:5000-6000K Beam Angle:LED40° LampSize:290x290x115mm
	PRO-3002	€ 141,00	12W, white, 900Lm, IP:65 Voltage:90-260VAC 50/60HZ Color Temperature:5000-6000K Beam Angle:LED40° LampSize:280x210x230mm
	PL-6001	€ 348,00	30W, white, 2250Lm, IP:40, Color Temperature:5000-6000K Voltage:90-260VAC 50/60HZ Beam Angle:LED 130° Color Rende ring Property:80Ra LampSize:600x600x65mm
		€ 375,00	40W, white, 3000Lm, IP:40, Color Temperature:5000-6000K Voltage:90-260VAC 50/60HZ Beam Angle:LED 130° Color Rende ring Property:80Ra LampSize:600x600x65mm
		€ 441,00	60W, white, 4500Lm, IP:40, Color Temperature:5000-6000K Voltage:90-260VAC 50/60HZ Beam Angle:LED 130° Color Rende ring Property:80Ra LampSize:600x600x65mm
	PL-6002	€ 168,00	20W,white, 1500Lm, IP:40, Color Temperature:5000-6000K Voltage:90-260VAC 50/60HZ Beam Angle:LED 130° Color Rendering Property:80Ra LampSize:300x300x90mm
		€ 204,00	30W, white, 2250Lm, IP:40, Color Temperature:5000-6000K Voltage:90-260VAC 50/60HZ Beam Angle:LED 130° Color Rende ring Property:80Ra LampSize:300x300x90mm
	DOW-6003	€ 81,00	7W, white, 560Lm, IP:20 Voltage:90-260VAC 50/60HZ Color Temperature:5000-6000k Beam Angle:LED 40° Color Rendering Property:80Ra Lamp Size:206x206x135mm
	DOW-6004	€ 136,00	14W, whtie, 1120Lm, IP:20 Color Temperature:5000-6000k Voltage:90-260VAC 50/60HZ Beam Angle:LED 40° Color Renderin g Property:80Ra Lamp Size:390x206x135mm
	DOW-6005	€ 204,00	21W, white,1680Lm, IP:20 Color Temperature:5000-6000k Voltage:90-260VAC 50/60HZ Beam Angle:LED 40° Color Renderi ng Property:80Ra Lamp Size:525x206x135mm
	DOW-6006	€ 259,00	28W, white, 2240Lm, IP:20 Color Temperature:5000-6000k Voltage:90-260VAC 50/60HZ Beam Angle:LED 40° Color Rendering Pro perty:80Ra Lamp Size:670x206x135mm
	DOW-6007	€ 259,00	28W, white, 2240Lm, IP:20 Color Temperature:5000-6000k Voltage:90-260VAC 50/60HZ Beam Angle:LED 40° Color Rend ering Property:80Ra Lamp Size:390x390x135mm
	DOW-6008	€ 81,00	7W, white, 560Lm, IP:20 Voltage:90-260VAC 50/60HZ Color Temperature:5000-6000k Beam Angle:LED 40° Color Rendering Property:80Ra Lamp Size:206x206x135mm
	DOW-6009	€ 139,00	14W, whtie, 1120Lm, IP:20 Color Temperature:5000-6000k Voltage:90-260VAC 50/60HZ Beam Angle:LED 40° Color Renderin g Property:80Ra Lamp Size:390x206x135mm
	DOW-6010	€ 207,00	21W, white,1680Lm, IP:20 Color Temperature:5000-6000k Voltage:90-260VAC 50/60HZ Beam Angle:LED 40° Color Renderi ng Property:80Ra Lamp Size:525x206x135mm
	DOW-6012	€ 264,00	28W, white, 2240Lm, IP:20 Color Temperature:5000-6000k Voltage:90-260VAC 50/60HZ Beam Angle:LED 40° Color Rendering Pro perty:80Ra Lamp Size:670x206x135mm

	PL-6011	€ 348,00	30W, white, 2250Lm, IP:40 Color Temperature:5000-6000k Voltage:90-260VAC 50/60HZ Color Rendering Property:80Ra Beam Angle:LED 130° Lamp Size:1200x300x55mm
		€ 375,00	40W, white, 3000Lm, IP:40 Color Temperature:5000-6000k Voltage:90-260VAC 50/60HZ Color Rendering Property:80Ra Beam Angle:LED 130° Lamp Size:1200x300x55mm
		€ 441,00	60W, white, 4500Lm, IP:40 Color Temperature:5000-6000k Voltage:90-260VAC 50/60HZ Color Rendering Property:80Ra Beam Angle:LED 130° Lamp Size:1200x300x55mm
	DOW-7000	€ 83,00	7W, white, 525Lm, IP:40 Color Temperature:5000-6000k Voltage:90-260VAC 50/60HZ Beam Angle:LED 130° Color rendering property:80 Ra Lamp Size: φ 188x156mm Drilling size: φ 170mm
	DOW-7001	€ 108,00	9W, white, 675Lm, IP:40 Voltage:90-260VAC 50/60HZ Color Temperature:5000-6000k Beam Angle:LED 130° Color rendering property:80 Ra Lamp Size: φ 218x156mm Drilling size: φ 190mm
	DOW-7002	€ 95,00	9W, white, 675Lm, IP:40 Voltage:90-260VAC 50/60HZ Color Temperature:5000-6000k Beam Angle:LED 130° Color rendering property:80 Ra Lamp Size: φ 200x90mm Drilling size: φ 170mm
	DOW-7003	€ 152,00	12W, white, 900Lm, IP:40 Voltage:90-260VAC 50/60HZ Color Temperature:5000-6000k Beam Angle:LED 130° Color rendering property:80 Ra Lamp Size: φ 220x85mm Drilling size: φ 190mm
	DOW-7004	€ 90,00	7W, white, 525Lm, IP:40 Color Temperature:5000-6000k Voltage:90-260VAC 50/60HZ Beam Angle:LED 130° Color rendering property:80 Ra Lamp Size: φ 192x90mm Drilling size: φ 170mm
	DOW-7048	€ 51,00	5W, white, 375Lm, IP:40 Color Temperature:5000-6000k Voltage:90-260VAC 50/60HZ Beam Angle:LED 130° Color rendering property:80 Ra Lamp Size: φ 155x70mm Drilling size: φ 120mm
	DOW-7005	€ 65,00	7W, white, 525Lm, IP:40 Color Temperature:5000-6000k Voltage:90-260VAC 50/60HZ Beam Angle:LED 130° Color rendering property:80 Ra Lamp Size: φ 185x70mm Drilling size: φ 150mm
	DOW-7049	€ 87,00	9W, white, 675Lm, IP:40 Voltage:90-260VAC 50/60HZ Color Temperature:5000-6000k Beam Angle:LED 130° Color rendering property:80 Ra Lamp Size: φ 200x70mm Drilling size: φ 180mm
	DOW-7050	€ 142,00	15W, white, 1125Lm, IP:40 Voltage:90-260VAC 50/60HZ Color Temperature:5000-6000k Beam Angle:LED 130° Color rendering property:80 Ra Lamp Size: φ 240x70mm Drilling size: φ 210mm
	PL-7042	€ 170,00	25W, white, 1625Lm, IP:40 Color Temperature:5000-6000k Voltage:90-260VAC 50/60HZ Beam Angle:LED 130° Color Rendering Property:80Ra Lamp Size:320x320x85mm
	PL-7043	€ 184,00	40W, white, 2600Lm, IP:40 Color Temperature:5000-6000k Voltage:90-260VAC 50/60HZ Beam Angle:LED 130° Color Rendering Property:80Ra Lamp Size:370x370x85mm
	DOW-7044	€ 100,00	9W, white, 675Lm, IP:40 Color Temperature:5000-6000k Voltage:90-260VAC 50/60HZ Beam Angle:LED 130° Lamp Size: φ 225x120mm Drilling size: φ 210mm
	PL-7045	€ 150,00	20W, white, 1500Lm, IP:40 Color Temperature:5000-6000k Voltage:90-260VAC 50/60HZ Beam Angle:LED 130° Color Rendering Property:80Ra Lamp Size: 303x303x85mm Drilling size:262x262mm

	PL-7046	€ 265,00	30W, white,2250Lm, IP:40 Color Temperature:5000-6000k Voltage:90-260VAC 50/60HZ Beam Angle:LED 130° Color Rendering Property:80Ra Lamp Size: 345x345x85mm Drilling size: 300x300mm
	IND-7006	€ 470,00	80W , white, 6000Lm, IP: 65, Voltage:90-260VAC 50/60Hz Color Temperature:5000-6000k Beam angle: LED130° Color rendering property:80 Ra lamp size: ø 475*480mm
		€ 538,00	100W, white,7500Lm, IP:65, Voltage:90-260VAC 50/60Hz Color Temperature:5000-6000k Beam angle: LED130° Color rendering property:80 Ra lamp size: ø 475*480mm
	IND-7007	€ 459,00	80W , white, 6000Lm, IP: 20, Voltage:90-260VAC 50/60Hz Color Temperature:5000-6000k Beam angle: LED130° Color rendering property:80 Ra lamp size: ø 500*320mm
		€ 525,00	100W, white,7500Lm, IP:20, Voltage:90-260VAC 50/60Hz Color Temperature:5000-6000k Beam angle: LED130° Color rendering property:80 Ra lamp size: ø 500*320mm
	PRO-8039	€ 117,00	12W, White, 900Lm, IP:20 Color Temperature:5000-6000k Voltage:90-260VAC 50/60HZ Beam Angle:LED 40° Color rendering property:80 Ra Lamp Size: ø 130x205mm